


UDQ-40.5



.....	4
.....	5
.....	5
.....	5
.....	5
.....	6
U ₁ -40.5	6
.....	7
.....	7
.....	8
.....	8
.....	8

0

" "

.



UDQ-40.5

50 /60 40.5

UDQ-40.5

UDQ-40.5

UDQ-40.5

UDQ-40.5

I C 62271-200 1 52

I C 62271-1

I C 62271-100

B3906-2020 3-35

B/T 11022-2020

B1984-1984

T 404-2018

I C62271-1 B3906

+40

-15

1000_m

95%

90%

1000_m

8

- 0.

U₁ -40.5

3.1

A

B

C



4

I 2

U₁ -40.5

CNC

3.2

" " X

9

3


700_{mm}

- - -


U-40.5

N22-40.5

I- 7 D- B- R M-




U_g-40.5




$\pm 1 \text{ mm/m}$
 $\pm 1 \text{ mm/m}$
2_{mm}

1400 x 2400 x 2870

30 x 4_{mm}





www.daqo.com
800-828-0188



www.daqo.com
((



ZHENJIANG DAQO INTELLIGENT ELECTRIC CO.,LTD.

66

0086-511-88222000

0086-511-88221717

www.daqo.com

Add No.66, Daquan Road, Xinba Town, Yangzhong City, Jiangsu

Tel 0086-511-88222000 FAX 0086-511-88221717